



**RESTAURANT INSPECTION REPORT
ILLINOIS**

2015

Inspection Criteria

CHICAGO - http://webapps.cityofchicago.org/healthinspection/General_Info.jsp

- Pass- the business meets the minimum requirements of the municipal code and does not have Serious or Critical violations present during the inspection.
- Pass with Conditions- business has Serious or Critical violations that are corrected during the inspection or the certified Food Service Sanitation Manager is not present at the time of inspection.
- Fail - the business has Serious violations that cannot be corrected during the inspection. The business must correct the Serious violations promptly and pass a re-inspection in order to remain open.

DUPAGE- <http://dupage.il.gegov.com/dupage/index.cfm>

- Demerit Score. Scores start at zero and increase as violations are observed. This is the sum of the weight (Wt) of each item marked. Wt represent critical food service violations. A number indicated the number of times that a critical violation was observed during an inspection

LAKE COUNTY- <http://lake.il.gegov.com/lake/index.cfm>

- Pass/Fail

KANKAKEE COUNTY- http://www.kankakeehealth.org/environmental-health/food-sanitation/food_inspections.html

- 0-100 (100 minus demerits)

LAPORTE- <http://www.laportecounty.org/HealthSafety/HealthDepartment/FoodProtection/>

- Critical #- means a provision of the above mentioned rule that, "if in noncompliance, is more likely than other violations to significantly contribute to food contamination, illness or environmental health hazard."
- Non-Critical #- Means noncritical violations do not directly relate to foodborne illness risk, but are preventive measures that include practices and procedures which effectively control environmental conditions. Left uncorrected, noncritical violations can undermine the overall food safety program of an establishment and lead to the development of critical violations

KENOSHA- <http://www.co.kenosha.wi.us/index.aspx?NID=339>

- A zero in the non-critical factors column indicated that a restaurant has been inspected and no violations were detected

Address	City	Inspection Date	Result	Notes
2110 Army Trail Rd., Addison, IL 60101	Addison	8/4/15	Pass w/ Conditions	
12156 S. Cicero Ave., Alsip, IL 60803	Alsip	3/3/14	84	The shelving wheels have rust in back area. The ice machine has mold around the lid. Cleaned and sanitized. The floor drains have an odor. Flushed with sanitize solutions. The south door needs a weather strip. The dining room and back room floors need mopping and deck brushing. Remove the grime and onions from the floor. The ceiling in the unit walk in freezer has an ice build up. Remove the solutions from around the hot water heater. No Items on the floor, place them in the proper area.
2998 Homer Adams Pkwy., Alton, IL 62002	Alton	10/6/15	88	
1219 Lake St., Aurora, IL 60506	Aurora	10/15/13	97	
444 N. Rt. 59, Aurora, IL 60504	Aurora	10/16/15	Pass	
5820 Belleville Crossing St., Belleville, IL 62226	Belleville	6/1/15	95	
1141 N. Green Mount Rd., Belleville, IL 62221	Belleville	9/23/15	96	
7155 W. Ogden Ave., Berwyn, IL 60402	Berwyn	7/15/14	91	
12709 S. Western Ave, Blue Island, IL 60406- Cook	Blue Island	July, 2014	Passed	
120 S. Bolingbrook Dr., Bolingbrook, IL 60440	Bolingbrook	6/10/14	93	Meat freezer soiled, walk in freezer needs sweeping, debris build up behind ice machine and need to clean floor.
1583 N. State Route 50, Bourbonnais, IL 60914	Bourbonnais	4/17/15	92-Pass	
7900 S. Harlem, Bridgeview, IL 60455	Bridgeview	1/20/14	92	Replace water stained ceiling tile, correct roof leakage ASAP, refrigeration unit west side sink must hold at 41 or below, clean vent cover in mop sink room, remove the grease build up on the floor by fryer.
1620 Camp Jackson Rd., Cahokia, IL 62206	Cahokia	11/18/15	96	
1551 River Oaks Dr., Calumet City, IL 60409	Calumet City	2/24/14	94	The walk-in freezer had ice on the floor and the two flaps were missing. The meat box on second unit was 48 degrees.
110 W. North Ave., Carol Stream, IL 60188	Carol Stream	10/16/15	Pass	Follow-Up inspection
40 Western Ave., Carpentersville, IL 60110	Carpentersville	5/1/14	100	
1550 E. 79th St., Chicago IL 60619	Chicago	10/13/15	Pass	Hole in outside shed has been repaired. No rodent

Address	City	Inspection Date	Result	Notes
1550-58 Garfield Blvd., Chicago IL 60609	Chicago	9/29/15	Pass	droppings on premises at this time. Violation corrected Certified manager on premises during re-inspection.
6646 S. Halsted, Chicago, IL 60621	Chicago	2/11/15	Pass	Violation corrected. Observed broken door gasket on prep cooler under the grill on the south wall. Instructed to repair and maintain. Observed dirt and debris on food and non food contact equipment. Instructed to clean and maintain. Observed dirty floors throughout premises, instructed to clean and maintain. Observed dirty ceiling vents throughout the premises, instructed to clean and maintain. Observed slow drains at exposed handsinks in the men's and women's toilet rooms, instructed to repair and maintain.
			Conditions	Observed employee manually bottling and capping gallon jug/container of pop for customers. Instructed manager to cease process and apply for proper approval from the health dept. Citation issued #7-38-005(a). Must clean the interior of the 3 door cooler to remove spills and debris. Also clean the exterior sides of cooking equipment to remove grease. Floors need cleaning inside the walk in freezer under pallets and around cooking equipment to remove debris and/or grease.
3132 N. Harlem, Chicago, IL 60634	Chicago	10/3/14	Pass	Caulk around sink in state of disrepair, shall be repaired/ replaced. Found some food items not properly dated in coolers, must properly date food items in coolers.
7550 N. Harlem Ave., Chicago, IL 60631	Chicago	8/26/14	Pass	Observed accumulated food build up inside prep area reach in coolers door gaskets, grease build up inside fryers and food debris on shelves under front counter. Instructed manager to clean and maintain equipment. Observed one food handler not wearing hair restraint. Instructed manager to provide hair restraints for all food handlers. Observed food debris on prep area floor along drive thru windows and spills on floor under soda machine. Instructed manager to clean and maintain floor. No thermometer inside prep 1-door chicken reach in cooler. Instructed manager to provide thermometer for

Address	City	Inspection Date	Result	Notes
5940 North Ridge Ave., Chicago, IL 60660	Chicago	12/2/15	Pass w/ Conditions	<p>cooler. 3-compartment sink right side faucet hot water leaking at base. Instructed manager to repair and maintain sink.</p> <p>Observed the following potentially hazardous foods held at improper temperatures- milk at 49.0 F, yogurt smoothies at 48.2 F, cheese at 48.5 F inside yogurt smoothie reach in cooler. However found smoothie yogurt reach in cooler ambient air temperature at 40.0 F at this time. Instructed manager all potentially hazardous foods must be held at 40 f or below if held cold. All out of temperature potentially hazardous foods voluntarily discarded at this time. Critical violation 7-38-005(a). Found yogurt smoothie reach in cooler, 3-door stand up prep cooler and 1-door chopped onion reach in cooler door rubber gaskets in poor repair/gap between door gaskets and cooler. Must repair/replace damage door gaskets at said coolers. Observed food debris/dust build up on ceiling tiles at prep area by drive thru and soda machine. Must clean ceiling tiles and maintain.</p>
3205 S. Ashland, Chicago, IL 60608	Chicago	8/24/15	Pass	<p>Clean interior and exterior of all fryer cabinets, grill, blender, rolling carts, ice machine, ice dispenser on pop machine. Clean floors under all fryers, grills, 3-compartment sink, rolling carts and equipment (grease buildup, food debris). Clean floors along walls and in all corners in prep, storage and basement areas. Clean all floor drains in prep and basement areas. Clean all grease spills along wall in basement. Replace damaged tiles along baseboards near utility sink. Seal loose baseboards along walls in basement. Repair grease leaks on equipment in basement.</p>
11050 S. Halsted, Chicago, IL 60628	Chicago	7/21/15	Pass w/ Conditions	<p>Instructed to properly wash hands when multi-tasking, handling money, wearing gloves, etc. Critical violation 7-38-010(a). Instructed to detail clean and maintain the interior of the used and unused deep fryers. Remove excess grease build up, dirt/dust and food debris. Instructed to clean and maintain the interior of the floor</p>

Address	City	Inspection Date	Result	Notes
9450 S. Jeffery Ave., Chicago, IL 60617	Chicago	8/31/15	Pass	drains, floors in all corners, under the beverage station and cooking equipment. Instructed to replace the broken/damaged floor tiles under/in front of the deep fryers in the prep area. Instructed to replace the broken tiles on the lower walls in the rear as needed. Rooms and equipment vented as required: plumbing: installed an maintained - comments: instructed to fix.
3457 S. King Drive, Chicago, IL 60616	Chicago	1/14/15	Pass	Clean the floors throughout prep area, floor slippery of grease, instructed to clean and maintain area. Clean the deep fryers at bottom compartment, has grease acculatin inside compartments, instructed to clean and maintain equipment.
10301 S. Michigan Ave., Chicago, IL 60628	Chicago	6/13/14	Pass	Food contact utensils (onions buckets) too large to fit in 3-comp sink, instructed mgr to use only multi-use utensils that can be submerged in 3-comp sink for proper washing and sanitizing. Heavy dust build-up on fan cover and ice build-up inside prep coolers, instructed to remove and maintain.
7912 S. Pulaski Rd., Chicago, IL 60652	Chicago	9/4/14	Pass w/ Conditions	Detail clean floors behind the deep fryers in prep area, has heavy grease buid-up, along wall base and corners, instructed to clean and maintain area. Clean interior bottom comptrtment of deep fryers, has heavy grease build-up inside compartments, instructed to clean and maintain equipment also clean the filters above the deep fryers, has grease build-up.
				Found no soap in the men's shared toilet room. Instructed to provide and maintain at all times. The interior of the deep fryers and the reach in freezers are in need of cleaning. Instructed to detail clean and maintain. Rear vents above the mop sink in need of cleaning. Instructed to detail clean and maintain. Water stained ceiling tiles in the dining area, instructed to replace and maintain. Leak at the pipe under the sanitizer compartment on the 3-compartment sink. Instructed to fix and maintain. Floors: constructed per code, cleaned, good repair, coving.

Address	City	Inspection Date	Result	Notes
2140 S. Wabash Ave., Chicago, IL 60616	Chicago	9/8/15	Pass	No evidence of rodent or insect outer openings protected/rodent proofed, a written log shall be maintained available to the inspectors - comments: corrected.
6901 S. Western Ave., Chicago, IL 60636	Chicago	9/24/13	Pass	
701 W. 14th St., Chicago Hts, IL 60411	Chicago	9/26/13	96	No paper towels by the hand sinks. The mop area needed organizing. The floor by the freezer had water and onions that needed mopping.
4750 W. 63rd St., Chicago, IL 60629	Chicago	6/12/15	Pass	Observed the floor under the front fryers not clean, instructed to clean. Observed the following not clean interior of fryer doors, onion cooler, and hamburger freezer, instructed to clean. Observed rear light shield not clean, also clean rear ceiling vents. Observed broken light shield in front prep area, instructed to provide.
1400 W. 79th St., Chicago, IL 60620	Chicago	4/4/13	Pass	Found eggs inside reach in cooler maintained at improper temperatures of (45.7F-50.3F) cooler door not being closed/open. Critical violation issued 7-38005a. Observed food handlers not washing hands. Instructed food handler to wash hands after each activity. -Cdi critical violation issued 7-38-010 a. Seal openings along baseboards in prep area and repair basebord in dining room. Clean debris on floors in basement. Elevate storage off floor in basement washroom. Interior panel of ice machine not clean. Must clean/maintain. Gasket/door on reach in cooler for egg storage in poor repair. Must replace. Reach in cooler used for eggs maintaining improper air temperature of 45.8F. Observed door open and not being closed after each use and gasket/door in poor repair. After closing door coolertemperature taken,cooler went down to 43.7F. Must not use. Cdi. Must use additional cooler on premises thats 40f or below. Critical violation issued 7-38005a.
3212 W. Addison St., Chicago, IL 60618	Chicago	5/15/15	Pass	Sanitizing rinse for equipment and utensils: clean, proper temperature, concentration, exposure time - corrected. Cold running water attached to ice cream

Address	City	Inspection Date	Result	Notes
				<p>machine now provided and maintained.</p> <p>Adequate number, convenient, accessible, designed, and maintained - violation corrected. Hand sink by 3 compartment sink has been installed.</p> <p>Food and non-food contact surfaces properly designed, constructed and maintained - corrected</p> <p>Lighting: required minimum foot-candles of light provided, fixtures shielded - corrected.</p> <p>Ventilation: rooms and equipment vented as required: plumbing: installed and maintained - corrected.</p> <p>Premises maintained free of litter, unnecessary articles, cleaning equipment properly stored - corrected.</p>
3901 W. Madison St., Chicago, IL 60624	Chicago	9/19/14	Pass w/ Conditions	
5618 W. North Ave., Chicago, IL 60639	Chicago	10/27/15	Pass	Washbowl repaired at men's restroom. Tempered water at men's restroom. Floors: constructed per code, cleaned, good repair, coving installed, dust-less cleaning methods used. Found base cove repaired below walk in cooler areas. Sealed with caulk.
2356 W. Roosevelt Rd., Chicago IL 60608	Chicago	9/9/15	Pass	Repair damaged gaskets on prep coolers and freezers. Clean interior and exterior of all fryers, fryer cabinets, grills, holding units, prep tables, coolers, freezers, rolling carts, shelving units, etc. Clean floors under all fryers, grills, coolers, freezers, pop machine. Replace damaged floor tiles in dish washing area. Replace damaged and missing tiles along walls near break room, ice machine, exposed sink, etc. Seal all openings along baseboards in all areas to prevent insect harborage. Replace damaged light shields near ice machine and 3-door cooler. Repair leak under 3-door cooler and front ice bin.
6646 S. Halsted, Chicago, IL 60621	Chicago	9/11/12	Pass	Employee working with no hair restraint, vent cover in mop sink has dust build up, ice scoop in ice machine with handle down in ice, single service coffee filters not covered.
10555 Harlem, Chicago Ridge, IL 60415	Chicago Ridge	2/22/14	100	

Address	City	Inspection Date	Result	Notes
2209 South Cicero Ave., Cicero, IL 60804	Cicero	8/13/14	94	
3 Eastport Plaza Dr., Collinsville, IL 62234	Collinsville	11/19/15	89	
6059 S. LaGrange Rd., Countryside, IL 60525	Countryside	5/21/14	92	Eggs stored on top of milk (inadequate food protection) and soiled sanitizer water (inadequate equipment and utensil sanitation).
1602 Sycamore Rd., DeKalb, IL 60115	DeKalb	5/6/14	89	
1400 E. Sibley Blvd., Dolton, IL 60419	Dolton	7/23/14	Passed	
1204 75th St., Downers Grove, IL 60516	Downers Grove	12/11/15	Pass	No Critical Violations
1800 Oakton Ave., Elk Grove Village, IL 60007	Elk Grove Village	5/14/14	91	
2555 W. 95th St., Evergreen Park, IL 60805	Evergreen Park	5/14/14	98	Floor grout missing from DT FF area, water leaking onto motors & compressors in basement.
10849 Lincoln Trail, Fairview Hts., IL 62208	Fairview Hts.	6/2/15	96	Hands washed and clean, good hygiene practices. Sanitation rinse clean, temperature concentration.
10339 W. Grand Ave, Franklin Park, IL 60131- Cook	Franklin Park	6/11/14	95	
6290 Grand Ave., Gurnee, IL 60031	Gurnee	10/27/15	Pass	
1100 W. Golf Rd., Hoffman Estates, IL 60194	Hoffman Estates	4/1/14	99	"Exit sign not lit. Three compartment sink not working. French fryer hood needs cleaned. Maintenance replaced bulb in exit sign and repaired the drain on 3-compartment sink. Team member cleaned the French fryer hood."
12640 W. 143rd, Homer Glen, IL 60491	Homer Glen	3/17/14	96	
18250 S. Halsted St., Homewood, IL 60430	Homewood	3/4/14	98	The three compartment sink was missing the rinse water and the sanitizer solution was low.
1803 W. Jefferson Ave., Joliet, IL 60435	Joliet	4/19/14	97	
241 N. Randall Rd., Lake-in-the Hills, IL 60156	Lake-in-the-Hills	9/20/15	Pass	Gasket on refrigerator door had a tear in it. Maintenance replaced the gasket.
4 E. Roosevelt Rd., Lombard, IL 60148	Lombard	1/26/15	Pass	
15902 S. Kedzie Ave., Markham, IL 60428	Markham	12/13/12	Passed	
21049 Cicero, Matteson, IL 60443	Matteson	10/31/11	92	
211 W. Roosevelt Rd., Maywood, IL 60153	Maywood	3/20/14	93	

Address	City	Inspection Date	Result	Notes
840 W. North Ave., Melrose Park, IL 60160	Melrose Park	8/15/13	100	
14700 S. Cicero Ave., Midlothian, IL 60445	Midlothian	12/19/13	93	Girl had on blue nail polish and did not wash hands before putting on the blue gloves and dropping food in the fryer. Ice build-up in walk-in freezer. Properly cleaned floors and walls.
9550 W. 191st St., Mokena, IL 60448	Mokena	7/10/14	85	
3046 W. Route 60, Mundelein, IL 60060	Mundelein	9/14/15	Pass	
401 E. Lincoln Hwy., New Lenox, IL 60451	New Lenox	6/17/14	92	
9501 S. Cicero, Oak Lawn, IL 60453	Oak Lawn	1/5/07	Pass	
15801 S. Harlem Ave., Orland Park, IL 60462	Oakland Park	6/24/14	100	
2340 Rt. 34, Oswego, IL 60543	Oswego	2/4/14	99	
1158 E. Dundee Rd., Palatine, IL 60074	Palatine	12/1/15	86	
2231 S.R. 59, Plainfield, IL 60586	Plainfield	7/23/14	84	
13429 S. State Route 59, Plainfield, IL 60544	Plainfield	3/26/14	88	
1265 W. Normantown Rd., Romeoville, IL 60446	Romeoville	4/24/14	88	
800 W. Lincoln Hwy., Schererville, IN 46375	Schereville	1/24/14	Pass	
306 W. North Ave., Villa Park, IL 60181	Villa Park	4/2/15	Pass	Re-Inspection from 3/30/2015
3001 Belvidere Rd., Waukegan, IL 60085	Waukegan	6/22/15	Pass	