



**RESTAURANT INSPECTION REPORT
INDIANA**

2015

Inspection Criteria

INDIANAPOLIS- <http://hhcwebfood.mchd.com/HHCWebFood/FoodMap/Search.aspx>

- Number of critical and non critical violations

HENDRICKS- http://www.co.hendricks.in.us/Health/Health_FoodSystem_InspectionSearch.asp

- Number of critical and non critical violations

TIPPACANOE- <http://www2.tippecanoe.in.gov/health/FoodInspectionDB/index.asp>

- Number of critical and non critical violations

JOHNSON- http://www.co.johnson.in.us/civil/HealthDepartment/local_restaurant_scores.htm

- Number of critical and non critical violations

BOONE- <http://www.boonecounty.in.gov/Default.aspx?tabid=471>

DELAWARE- http://www.co.delaware.in.us/egov/apps/document/center.egov?view=browse&eGov_searchTitle=white+castle&eGov_searchType=91&eGov_searchDepartment=&eGov_searchCategory=&eGov_searchTopic=&eGov_searchYear=&eGov_searchSubmit=Search

- Number of critical and non critical violations

JACKSON - <https://sites.google.com/site/jacksoncountyhealthdepartment/food-inspections/june-2014>

- Number of critical and non critical violations

--

Abbreviations

COS - Corrected on site

C - Critical

NC - Non critical

Address	City	Inspection Date	Result	Notes
5523 S. State Rd. 9, Anderson, IN 46013	Anderson	2/3/14	None	
10705 East U.S. Hwy. 36, Avon, IN 46123	Avon	7/2/14	2 Critical, 4 Non critical	<p>"C - Raw shell eggs stored on top of container of fully cooked sausage patties in reach-in cooler.</p> <p>C- Concentration of sanitizing solution in both sanitizer buckets registered at less than 100 ppm on multiple test strips. NC - Bags of bread were stored in plastic bins on floor under shelving in walk-in freezer.</p> <p>NC - Ice accumulation observed coming from condenser line in walk-in freezer.</p> <p>NC - Wet wiping cloth stored outside of sanitizing solution on counter across from grill line."</p>
3233 W. Jacob Dr., Bloomington, IN 47404	Bloomington	4/11/14	None	
960 N. Green St., Brownsburg, IN 46112	Brownsburg	7/11/14	3 Non critical	<p>"NC - a temperature measuring device was not provided in the front reach in freezer.</p> <p>NC - Gap at bottom left corner of the main dining room entry door allowing possible entry of pests.</p> <p>NC - Employee items, jacket & purse, stored on rack with single use items."</p>
8290 Windfall Ln., Camby, IN 46113	Camby	6/3/14	1 Critical, 3 Non critical	<p>"C - Concentration of sanitizing solution in sanitizing buckets was 100 ppm on quaternary ammonium test strips.</p> <p>NC - Temperature measuring device was not provided in the reach in freezer by the fryers.</p> <p>NC - Water dripping off pipes below ice bin onto the shelf below the drive thru drink station.</p> <p>NC - Wet mop head was not stored in a position to allow them to air-dry"</p>
15005 Thatcher Lane, Carmel, IN 46032	Carmel	6/11/14	1 Critical, 1 Non Critical	<p>"C - Chemical sanitizer concentration, Quat sanitizer 0 ppm. ~COS</p> <p>NC - Ice accumulated on the line going to the condenser unit inside walk in freezer."</p>
525 Indian Boundary Rd., Chesterton, IN 46304*	Chesterton	2/3/14	Passed	

Address	City	Inspection Date	Result	Notes
4023 Highway 31 E., Clarksville, IN 47129	Clarksville	12/23/13	2 critical, 7 non-critical, 2 repeats	C - Team members handled raw beef changed gloves without washing hands, when changing gloves or tasks hands must be washed before using new gloves. Outdoor hose bib without a backflow device. NC - Observed bulk container of pepper, label products removed from original container. Accumulation of debris on ice machine chute. (R) Wiping cloths not restricted to sanitizer solution. (R) Accumulation of debris on gaskets of walk in cooler.
1686 National Rd., Columbus, IN 47201	Columbus	6/9/14	None	
2430 Landmark Ave. NE, Corydon, IN 47112	Corydon	5/20/14	100	
8801 W. Market Square Drive, Daleville, IN 47334	Daleville	11/7/12	None	
3956 Guthrie, East Chicago, IN 46312*	East Chicago	4/15/14	Passed	
6840 Logan Dr., Suite J, Evansville, IN 47715	Evansville	5/14/14	No Discrepancies	
1129 N. Morton St., Franklin, IN 46131	Franklin	5/28/14	0 Critical, 1 Non Critical	NC - Floor drain under drive up drink station is dirty. ~ COS
1304 Broadway, Gary, IN 46407	Gary	4/3/13	Passed	
1157 Eads Parkway E., Greendale, IN 47025	Greendale	2/12/14	100%	
2253 N. State Street, Greenfield, IN 46140	Greenfield	7/8/14	None	
105 Sheek Rd., Greenwood, IN 46143	Greenwood	1/4/13	None	
440 W. Ridge Rd., Griffith, IN 46319	Griffith	3/27/14	Passed	
4632 Calumet Ave., Hammond, IN 46327	Hammond	June, 2014	Passed	
6517 Calumet Ave., Hammond, IN 46324	Hammond	5/1/14	Passed	
7921 Indianapolis Blvd., Hammond, IN 46324	Hammond	1/30/14	Passed	
7996 East Ridge Rd., Hobart, IN 46342	Hobart	1/29/14	Passed	
10099 E. Washington St., Indianapolis, IN 46229	Indianapolis	11/24/15	4 Critical 4 Non Critical	Drink without lid and straw stored on top of box of diced onions in 3-bay area. Store employee drinks in designated area away from food and food related items. Purse stored on top of sugar container in 3-bay area. Maintain sanitizer at 200-400 PPM

Address	City	Inspection Date	Result	Notes
3210 E. Washington, Indianapolis, IN 46201	Indianapolis	9/18/15	None	at 3-bay sink and at in-place sanitizer buckets. Sanitizer testing at 0 PPM and corrected on site. Provide updated certified food handler certificate by February 2016. Schedule exam if needed.
2368 E. 38th St., Indianapolis, IN 46218	Indianapolis	5/15/15	4 Non Critical	Employee drinks stored with retail foods in reach in cooler and corrected on site. Heavy dust build up on fan guards of walk in freezer. Wet towel stored on counter near cook line and corrected on site. Build up of grease on interior cabinet of feep fryers.
5440 E. 82nd St., Indianapolis, IN 46250	Indianapolis	11/12/15	1 Non critical	Manager making food and does not have on hair restraint, corrected.
2820 Kentucky Ave., Indianapolis, IN 46221	Indianapolis	11/20/15	1 Critical, 7 Non critical	<p>"C - Food contacted soiled surfac in kitchen. Improve routine detailed cleaning & sanitizing of reach in cooler, including door gaskets and fanguards. ~ COS</p> <p>C - Food contact surface soiled in kitchen. Improve routine detailed cleaning and sanitizing of reach in freezer, including door gaskets and fan guards. ~ COS</p> <p>C - Food contact surface soiled in kitchen. Improve routine detailed cleaning and sanitizing of ice cream machine, interior and exterior surfaces. ~ COS</p> <p>NC - Storage of personal items, dry storage. Store personal items away from food & food related articles. ~ COS</p> <p>NC - Walls, floors, etc., soiled, walk in freezer & dry storage. Improve routine detailed cleaning & sanitizing of dry storage room & walk-in freezer floor.</p> <p>NC - Non-food contact surface cleaning frequency, dry storage. Improve routine detailed cleaning & sanitizing of dry storage room shelving.</p> <p>NC - Non-potentially hazardous food contact surface soiled in kitchen and soda machine. Improve routine detailed cleaning & sanitizing of drive thru soda machine and nozzles. ~ COS"</p>
8740 Michigan Rd., Indianapolis, IN 46268	Indianapolis	11/12/15	None	
6901 Pendleton Pike, Indianapolis, IN 46226	Indianapolis	8/19/15	None	

Address	City	Inspection Date	Result	Notes
10303 Pendleton Pike, Indianapolis, IN 46236	Indianapolis	10/13/15	1 Non Critical	The physical facilities shall be cleaned as often as necessary to keep clean.
2165 Shelby St., Indianapolis, IN 46203	Indianapolis	8/7/15	None	
7630 Shelby St., Indianapolis, IN 46227	Indianapolis	2/10/15	1 Critical 4 Non critical	Food employee should wash their hands and exposed portions of their arms after contamination occurs. The physical facilities should be cleaned as often as necessary to keep clean. Clean and sanitize. Plumbing system(s) shall be repaired and maintained.
3229 S. East St., Indianapolis, IN 46227	Indianapolis	10/2/15	5 Non Critical	Equipment shall be maintained in good repair and condition. Clean and sanitize. During pauses in food preparation or dispensing, utensil(s) shall be stored in an approved manner.
4520 S. Emerson Ave., Indianapolis, IN 46203	Indianapolis	6/2/15	1 Critical, 4 Non critical	Sanitizer on cook line tested 0 PPM Quat and corrected on site. Two wet towels stored out of the sanitizer and corrected on site. Side door freezer gasket on cook line damaged. Replace bag of food on walk in freezer floor and corrected on site.
102 W. 16th St., Indianapolis, IN 46202	Indianapolis	7/27/15	2 Critical 7 Non critical	Food shall be protected from cross contamination. Maintain sanitizer at proper concentration and temperature according to manufacturer instructions. Store personal item(s) away from food and food related articles. Intake and exhaust airducts shall be cleaned and filters changed so they are not a source of contamination. Cold or hot holding equipment used for potentially hazardous foods shall be designed to include and shall be equipped with at least 1 temperature measuring device that is located to allow for easy viewing. Clean and sanitize. Provide approved hand drying provisions. During pauses in food preparation or dispensing, utensil(s) shall be stored in an approved manner.

Address	City	Inspection Date	Result	Notes
5501 W. 38th St., Indianapolis, IN 46254	Indianapolis	7/30/15	1 Critical, 3 Non critical	Reach- in beef patty cooler measured 56 degree. maintain cooler at or below 41. Clean floor left of the fryers. Replace thermometer in the small reach-in cooler (holding sliced cheese)
55 W. South St., Indianapolis, IN 46225	Indianapolis	4/3/15	1 Non Critical	Scoop with handle exposed to chicken nuggets in freezer drawers. Store with handle up.
1414 W. Thompson Rd., Indianapolis, IN 46217	Indianapolis	6/30/15	None	
5301 W. Washington, Indianapolis, IN 46241	Indianapolis	11/16/15	5 Critical 5 Non Critical	Food shall be clearly marked to identify a 4 hour discard time. Written procedures must be maintained. Gloves shall be used for only one task and used for no other purpose, and discarded when damaged, soiled or when interruptions occur in the operation. Food employees shall wash their hands and exposed portions of their arms after contamination occurs. A hand washing facility shall be maintained clean at all times. Plumbing system(s) shall be repaired and maintained. The physical facilities shall be cleaned as often as necessary to keep clean. Cold or hot holding equipment used for potentially hazardous foods shall be designed to include and shall be equipped with at least 1 temperature measuring device that is located to allow for easy viewing. Equipment shall be maintained in good repair and condition.
1608 E. 10th St., Jeffersonville, IN 47130	Jeffersonville	3/22/13	3 non-critical, 2 repeats	Wiping cloths not restricted to sanitizer. Handle for ice bin at drive thru was in the ice. Thermometer unavailable in reach-in cooler.
1801 Markland Ave., Kokomo, IN 46901	Kokomo	3/11/14	0 Critical, 3 Non Critical	"NC - Fan cover in reach-in cooler had excessive dust accumulation. NC - Hair restraints, all employees handling food must wear hair restraint, including management. ~ COS NC - Two cardboard boxes of single service items were stored directly on the floor of storage area. ~ COS"

Address	City	Inspection Date	Result	Notes
4723 Meijer Ct., Lafayette, IN 47905	Lafayette	10/15/15	None	
120 N. Sam Ralston Rd., Lebanon, IN 46052	Lebanon	11/25/15	1 Non Critical	Food thermometers shall be provided and readily accessible.
630 Birk Rd., Martinsville, IN 46151	Martinsville	7/2/14	0 Critical, 1 Non Critical	NC - Seals on the reach-in cooler need to be cleaned. ~ COS
1 E. 81st Ave., Merrillville, IN 46410	Merrillville	7/1/14	Passed	
101 East U.S. Hwy. 20, Michigan City, IN 46360*	Michigan City	9/3/14	1 Critical 3 Non Critical	
9600 Calumet Ave., Munster, IN 46321*	Munster	1/29/14	Passed	
1701 E. Spring St., New Albany, IN 47150	New Albany	3/27/13	4 Critical, 6 Non critical	No report found for this date, have report for 3/12/13 listed on next row
1701 E. Spring St., New Albany, IN 47150	New Albany	3/12/13	4 Non critical, 1 repeat	R - Wet cleaning cloth located at drive thru window, not stored in sanitizer solution. NC - Microwave with buildup of food particles and dirt. Women's restroom in basement without mechanical ventilation. Floors under ice & shake machine with buildup of dirt, dust, grease.
3175 S. S.R. 3, New Castle, IN 47362	New Castle	3/15/14	None	
16286 Clover Rd., Noblesville, IN 46060	Noblesville	8/15/13	0 Critical, 1 Non Critical	NC - Ice had accumulated on the pipe going to the condenser unit in the walk in freezer.
6070 Cambridge Way, Plainfield, IN 46168	Plainfield	7/15/14	2 Critical, 1 Non critical	"C - Half flat of raw shell eggs stored on top of a box of fully cooked sausage patties in reach-in cooler. C - Concentration of sanitizing solution in the wiping cloth buckets was 0 ppm on quaternary ammonium test strips. NC - Quaternary ammonium test strips were not provided to accurately measure of the concentration of sanitizing solution. Strips provided were for PH testing."
5801 National Rd. E., Richmond, IN 47374*	Richmond	3/28/14	Pass	"NC - A temperature measuring device was not provided in the front reach in freezer. NC - Gap at bottom left corner of the main dining room entry door possibly allowing entry of pests.

Address	City	Inspection Date	Result	Notes
800 W. Lincoln Hwy., Schererville, IN 46375	Schererville	1/24/14	Passed	NC - Employee items, jacket & purse, stored on rack with single use items."
1970 E. Tipton St., Seymour, IN 47274	Seymour	Oct-15	None	
1830 Marketplace Blvd., Shelbyville, IN 46176	Shelbyville	6/17/14	1 Critical, 2 Non Critical	"C - Container of sausage in cooler not discarded by date marked. ~ COS NC - One light out in walk in fridge. NC - Side door of dumpster open. ~ COS"
5910 Crawfordsville, Speedway, IN 46224	Speedway	2/17/14	2 Critical	"C - Time vs. temperature, cook line. No time to discard marking on time controlled cheese singles. Put time mark on container. Discard 4 hrs after removed from cooler. ~ COS C - No hand washing, employee changed gloves after cleaning without washing hands. ~ COS"
4340 S. US Hwy. 41, Terre Haute, IN 47802	Terre Haute	7/24/14	1 Critical, 1 Non Critical	"C - Non food contact surface soiled, soda machine. Improve routine detailed cleaning & sanitizing of drive thru soda machine and nozzles. ~ COS NC - Drain board at 3 compartment sink found with greasy film. ~ COS"
153 Morthland Dr., Valparaiso, IN 46383*	Valparaiso	8/11/14	Passed	
1879 Indianapolis Blvd., Whiting, IN 46394	Whiting	7/26/14	Passed	