



**RESTAURANT INSPECTION REPORT
INDIANA**

For more information about health inspections and criteria, or to find the latest inspection reports, please visit:

MARION COUNTY - <http://hhcwebfood.hhcorp.org/default.aspx>

HARRISON COUNTY - http://www.harrisoncountyhealth.com./food_safety.htm

HENDRICKS COUNTY - http://hcapps.co.hendricks.in.us/DataWarehouse/Food_InspectionSearch.aspx

TIPPACANOE COUNTY - <http://www3.tippecanoe.in.gov/HealthFood/RestaurantSearch.aspx>

JOHNSON COUNTY - <http://co.johnson.in.us/health/areas/environmental/food/>

BOONE COUNTY - <http://www.boonecounty.in.gov/Offices/health-department/Environmental-Health/Food-Establishments>

DELAWARE COUNTY - <http://www.co.delaware.in.us/department/index.php?structureid=17>

JACKSON COUNTY - <https://sites.google.com/site/jacksoncountyhealthdepartment/food-inspections>

Address	City	Inspection Date	Result	Notes
5523 S. State Rd. 9, Anderson, IN 46013	Anderson	11/8/17	1 Critical	Fruit flies found by mop sink and dining room prep sink, corrected.
			2 Non Critical	Several door gaskets torn, corrected. Several door gaskets soiled, also dining room tables, hand sink, heat lamp elements, walk in freezer floor and walk in cooler fan covers. Clean all drains, corrected.
10705 East U.S. Hwy. 36, Avon, IN 46123	Avon	8/11/17	1 Critical	Employee observed washing hands in handwashing sink that did not reach proper temperatures, corrected.
			1 Non Critical	Leak in faucet in men's restroom and the water in both kitchen hand sinks and both restroom hand sinks reached a maximum of 77 degrees, corrected.
3233 W. Jacob Dr., Bloomington, IN 47404	Bloomington	6/20/17	1 Non Critical	Thermometer on walk in cooler not working, corrected. There is a thermometer inside cooler, other cooler thermometers are not easily visible or accessible, corrected.
960 N. Green St., Brownsburg, IN 46112	Brownsburg	8/7/17	2 Non Critical	Dust on fan guards in reach in cooler, corrected. Gaps on both dining room entry doors, corrected.
8290 Windfall Ln., Camby, IN 46113	Camby	10/31/17	4 Non Critical	Ice on the condenser of the reach in freezer by fryers. Dust on fan guards in walk in freezer and reach in cooler. Gap at right corner of back exit door. All corrected. Jacket laying on soda box. Corrected on site.
15005 Thatcher Lane, Carmel, IN 46032	Carmel	10/11/17	1 Non Critical	Ice dripping from line into condenser, corrected.
525 Indian Boundary Rd., Chesterton, IN 46304*	Chesterton	6/19/17	Pass	Sanitizer was low in the bucket on the griddle unit and the gasket on the french fryer freezer needs replacing.
4023 Highway 31 E., Clarksville, IN 47129	Clarksville	11/21/17	1 Critical	
1686 National Rd., Columbus, IN 47201	Columbus	9/19/17	2 Non Critical	
			3 Non critical	Trapped drain fly problem around mop sink. Use fly traps to capture in non food areas, corrected. Paper towel dispenser at three-compartment sink not functioning, corrected. Flooring behind and between equipment in need of more frequent cleaning, corrected.
2430 Landmark Ave. NE, Corydon, IN 47112	Corydon	10/3/18	97	

Address	City	Inspection Date	Result	Notes
8801 W. Market Square Drive, Daleville, IN 47334	Daleville	12/7/17	2 Critical	Employee observed not washing hands after leaving D/T window to prepare food. An uncovered drink item was observed. Corrected on site.
			2 Non Critical	Microwave observed to be soiled, corrected on site. Wiping cloth not found in sanitizer but on counter, corrected on site.
3956 Guthrie, East Chicago, IN 46312*	East Chicago	6/30/17	Passed	
6840 Logan Dr., Suite J, Evansville, IN 47715	Evansville	7/21/17	No Violations	
1129 N. Morton St., Franklin, IN 46131	Franklin	10/4/17	4 Non Critical	Hand sink, floor in walk in cooler, area above fryer hood and area around the drive up drink station all soiled and need cleaned, corrected.
1304 Broadway, Gary, IN 46407	Gary	9/19/17	Passed	
1157 Eads Parkway E., Greendale, IN 47025	Greendale	12/5/17	No Violations	
2253 N. State Street, Greenfield, IN 46140	Greenfield	11/14/17	2 Non Critical	Handle of ice scoop in ice at drive thru, corrected. Clean floors under grill area by customer order area and wheels of fryer and grate by back door, corrected.
105 Sheek Rd., Greenwood, IN 46143	Greenwood	1/5/18	2 Non critical	Remove soil build up on floor by mop sink area and inside of flap on ice machine, corrected.
440 W. Ridge Rd., Griffith, IN 46319	Griffith	11/19/17	Passed	
4632 Calumet Ave., Hammond, IN 46327	Hammond	10/4/17	100	
6517 Calumet Ave., Hammond, IN 46324	Hammond	10/25/17	2 Non Critical	Two non critical comments for storing purse by an open box of meat which was corrected right away.
7921 Indianapolis Blvd., Hammond, IN 46324	Hammond	10/12/17	1 Critical	Critical for not having sugar stored in contacinter. Also a
			1 Non Critical	Ice scoop left in ice machine with the handle down in the ice and mention for lack of hair restraints for team members.
7996 East Ridge Rd., Hobart, IN 46342	Hobart	1/30/17	Passed	
10099 E. Washington St., Indianapolis, IN 46229	Indianapolis	12/14/17	No Violations	
3210 E. Washington, Indianapolis, IN 46201	Indianapolis	10/4/17	2 Non Critical	Clean shelving in walk-in freezer, corrected. Clean vent cover on ice machine, corrected.
2368 E. 38th St., Indianapolis, IN 46218	Indianapolis	10/24/17	No Violations	

Address	City	Inspection Date	Result	Notes
5440 E. 82nd St., Indianapolis, IN 46250	Indianapolis	11/2/17	No violations	Recheck all items had been corrected.
2820 Kentucky Ave., Indianapolis, IN 46221	Indianapolis	7/18/17	1 Non Critical	Remove cloth towel in one-door reach-in cooler and clean soiled door gaskets on coolers and inside bottom of the three-door reach-in cooler, corrected.
8740 Michigan Rd., Indianapolis, IN 46268	Indianapolis	11/30/17	2 Critical	Chemical sanitizer not present, not at proper concentration and/or temp for in place sanitizer, manual or machine warewashing, corrected. Frozen food not maintained at proper temperature. Short freezer beneath fryer holding at 22 degrees. Freezer by grill holding at 12.8 degrees. All corrected on site.
			7 Non Critical	Food employees not wearing hair restraint, corrected on site. Ice machine soiled, corrected. Thermometer not designed to be easily readable, corrected. Thermometers are not in easy view to show the display, corrected. Dumpster lid not closed, corrected. Walk-in cooler soiled, corrected. Non food contact surface soiled, corrected.
			Violation	Trash dumpster is missing a drain plug.
6901 Pendleton Pike, Indianapolis, IN 46226	Indianapolis	7/7/17	2 Non Critical	Torn door seal needs replaced on the L shaped reach in cooler, corrected. Ceiling near drive thru window to be cleaned, corrected.
10303 Pendleton Pike, Indianapolis, IN 46236	Indianapolis	12/12/17	No Violations	Claim about foodborne illness was found to be undetermined.
2165 Shelby St., Indianapolis, IN 46203	Indianapolis	11/18/17	Violation	Hand washing facility with metered valves remain on less than 15 seconds, corrected. Hand sink inconsistent with providing water repair, corrected. Non food contact surface soiled, corrected. Clean fan guards in reach in coolers and walk in freezer, corrected. Clean bottom of 3 door reach in cooler, corrected.
7630 Shelby St., Indianapolis, IN 46227	Indianapolis	11/3/17	5 Non Critical	Door gaskets on reach in refrigeration units need repair. Non-food contact surfaces in reach in cooler and freezer need cleaned and sanitized
3229 S. East St., Indianapolis, IN 46227	Indianapolis	7/14/17	3 Non critical	Reach in cooler repaired and walk in cooler cleaned around legs of shelving. Floor in walk in cooler to be cleaned. Floor soiled on non skid steps.

Address	City	Inspection Date	Result	Notes
4520 S. Emerson Ave., Indianapolis, IN 46203	Indianapolis	12/28/17	1 Critical	Sanitizer not at proper concentrate and hand washing sink soiled, corrected.
			4 Non critical	Improper storage of personal items with food, corrected. Plumbing in hand washing sink not in good repair, corrected. Back room, walk-in freezer, kitchen and shake machine area needs cleaned, corrected. Non food surface soiled, corrected.
102 W. 16th St., Indianapolis, IN 46202	Indianapolis	9/25/17	No Violations	
			7 Non critical	Food shall be protected from cross contamination. Maintain sanitizer at proper concentration and temperature according to manufacturer instructions. Store personal item(s) away from food and food related articles. Intake and exhaust airducts shall be cleaned and filters changed so they are not a source of contamination. Cold or hot holding equipment used for potentially hazardous foods shall be designed to include and shall be equipped with at least 1 temperature measuring device that is located to allow for easy viewing. Clean and sanitize. Provide approved hand drying provisions. During pauses in food preparation or dispensing, utensil(s) shall be stored in an approved manner.
5501 W. 38th St., Indianapolis, IN 46254	Indianapolis	5/12/2018	2 Critical	Maintain sanitizer at proper concentration and temperature according to manufacturer instructions. Corrected. Interior surfaces of 2-door reach-in cooler soiled at cook line. Clean and sanitize.
			5 Non Critical	Boxes of single service items stored on the floor in back kitchen. Everything must be stored at least 6 inches off floor. Faucet base leaks at 3 bay sink while water is running. Repair leak. Scattered trash around dumpsters. Keep premises clean. Dumpster lids open. Keep dumpster lid closed. Floor drains soiled under 3 bay sink. Clean and sanitize.
55 W. South St., Indianapolis, IN 46225	Indianapolis	4/13/17	No Violations	
1414 W. Thompson Rd., Indianapolis, IN 46217	Indianapolis	12/5/17	1 Critical	Hand washing sink is also used as a prep sink for onions and milkshake waste. Add another hand sink, corrected.

Address	City	Inspection Date	Result	Notes
			4 Non Critical	Mop sink needs repaired, ice bucket has a hole and one side of milkshake machine not working. Repair or replace. Non food surface soiled, corrected.
5301 W. Washington, Indianapolis, IN 46241	Indianapolis	12/28/17	No Violations	
1608 E. 10th St., Jeffersonville, IN 47130	Jeffersonville	11/16/17	3 Non Critical	
1801 Markland Ave., Kokomo, IN 46901	Kokomo	9/23/17	No Violations	
4723 Meijer Ct., Lafayette, IN 47905	Lafayette	7/21/17	1 Critical	Plastic fry scoop was cracked and missing pieces, corrected.
120 N. Sam Ralston Rd., Lebanon, IN 46052	Lebanon	8/23/17	2 Non Critical	Need covered trash receptacle in ladies restroom, corrected. Floors-food and accumulation of grease under counters, corrected.
630 Birk Rd., Martinsville, IN 46151	Martinsville	10/16/17	1 Non Critical	Clean condiment holders a 2nd drive thru window, corrected.
1 E. 81st Ave., Merrillville, IN 46410	Merrillville	7/12/17	100	
101 East U.S. Hwy. 20, Michigan City, IN 46360*	Michigan City	7/14/17	Passed	
9600 Calumet Ave., Munster, IN 46321*	Munster	9/19/17	Passed	
1701 E. Spring St., New Albany, IN 47150	New Albany	8/22/17	3 Critical	
			4 Non Critical	
3175 S. S.R. 3, New Castle, IN 47362	New Castle	8/23/17	No Violations	
16286 Clover Rd., Noblesville, IN 46060	Noblesville	11/14/17	3 Critical	Milk under counter, rehydrated onions and cheese at 44 degrees, corrected.
			2 Non Critical	Thermometer could not be located in under counter refrigerator near drive up, corrected. Fan cover and cheese shelf in same refrigerator needs cleaned, corrected.
6070 Cambridge Way, Plainfield, IN 46168	Plainfield	10/20/17	1 Non Critical	Mop sink basin and walls around the mop sink were soiled, corrected.
800 W. Lincoln Hwy., Schererville, IN 46375	Schererville	4/6/17	1 Non Critical	
1970 E. Tipton St., Seymour, IN 47274	Seymour	4/12/17	No Violations	
1830 Marketplace Blvd., Shelbyville, IN 46176	Shelbyville	7/26/17	1 Critical	Shake machine solution at 46 degrees, corrected on site.
			1 Non Critical	Fryer outside surface soiled with oil, corrected on site.

REGION



5910 Crawfordsville, Speedway, IN 46224	Speedway	7/18/17	1 Non Critical	Replace two ceiling tiles in the water heater area and clean the floors under the counter equipment and under equipment left of flat grill, corrected.
4340 S. US Hwy. 41, Terre Haute, IN 47802	Terre Haute	8/24/17	1 Non Critical	Sanitizer water needs changed, corrected on site.
153 Morthland Dr., Valparaiso, IN 46383	Valparaiso	5/21/17	2 Critical	
1879 Indianapolis Blvd., Whiting, IN 46394	Whiting	11/29/17	100	